
# BARCELONA LIGHTS OUTDOOR VENT-FREE GAS FIREPLACE SYSTEMS







The Barcelona Lights linear fireplace offers a customizable look for any outdoor living space. Set the mood or match the season with interior LED lights and flames dancing on a bed of large crushed glass. Weather-resistant stainless steel construction offers both durability and eyecatching appeal to outdoor spaces. Each Barcelona Lights fireplace allows single-sided or optional see-through installation.

### Options



Diamond Crystal Media (included)



Sapphire Blue Media




Onyx Black Media



Optional Stainless Steel Weather cover



Optional On/Off, High/Low CPI/IPI remote





### STANDARD FEATURES


- ✤ Available in 36", 48", 60" and 72" linear configurations
- Single-sided configuration with see-through kit included
- ✤ Mood enhancing, adjustable full-spectrum interior LED lighting
- Diamond Crystal large crushed glass media included (Optional colors available)
- ✤ Dual-Glass deflector shield protects flames from wind
- ✤ Fuel-saving electronic ignition
- + Stainless steel construction for long-lasting outdoor use
- ✤ Wall-mounted control box allows control of flames and interior lights
- ✤ Optional on/off, high/low, CPI/IPI remote control
- Optional stainless steel weather cover
- LP gas conversion kit sold separately
- ✤ 20-year limited warranty

### **APPLIANCE SPECIFICATIONS**

### FRAMING SPECIFICATIONS







## Top view showing 1/2" lip using non-combustible facing material at front face Single-sided fireplace posi-tioning shown here \*\* etal Studs Metal Stude Metal Stude Nailing Flange ⋠ Hood n in gray В Support Fir

#### **BARCELONA LIGHTS**

С

studs Meta

	36	48	60	72
А	40-1/2"	52-1/2"	64-1/2"	76-1/2"
В	33-3/4"	33-3/4"	33-3/4"	33-3/4"
C <sup>1</sup> single sided depth	16-1/4"	16-1/4"	16-1/4"	16-1/4"
$C^{2}$ see-through depth	15"	15"	15"	15"

#### Refer to Installation Manual for all required clearances to combustibles.

### FIREPLACE BTU OPERATING RANGE

MODEL	FUEL	BTU/HR	
ODLVF36	NG	31,000-18,500	
ODLVF36	LP	30,000-19,500	
ODLVF48	NG	43,500-24,500	
ODLVF48	LP	42,500-29,000	
ODLVF60	NG	50,000-36,000	
ODLVF60	LP	50,000-36,000	
ODLVF72	NG	65,000-42,000	
ODLVF72	LP	60,000-45,000	

# **BARCELONA LIGHTS**

	36	48	60	72
Α	40"	52"	64"	76"
В	36"	48"	60"	72"
С	33-1/2"	33-1/2"	33-1/2"	33-1/2"
D	16"	16"	16"	16"
E*	16-1/4"	16-1/4"	16-1/4"	16-1/4"
F	11-1/2"	11-1/2"	11-1/2"	11-1/2"
G	8-3/4"	8-3/4"	8-3/4"	8-3/4"

\* Subtract 1/4" for see-through applications.

#### IMPORTANT NOTES:


As with any fireplace, this appliance is extremely hot during operation. Read and understand all operating instructions before using this appliance. For further information, consult your dealer.

Local conditions, such as elevation and choice of fuel will affect overall appearance of the fire and heating performance. Performance can also vary with home design and insulation, ceiling height, accessories chosen and appliance location.

Diagrams, illustrations and photographs are not to scale — consult installation instructions. Product designs, materials, dimen-sions, specifications, colors and prices are subject to change or discontinuance without notice.







Visit us online Astria.us.com