

MONTIGO®

DELRAY SQUARE

DELRAY / THE ART OF FIREPLACES

DRSQ38NI

DRSQ38NI-2

DRSQ42NI

DRSQ42NI-2

DRSQ46NI

DRSQ46NI-2



DELRAY / SINGLE SIDED

DELRAY

SQUARE

The DelRay Square Universal Burner

A revolutionary burner system, creating endless opportunities

Versatility

We have developed a burner system that is not only convertible from natural gas to propane, but can switch from traditional to contemporary burner media without changing the burner system.

Media kits such as logsets and contemporary scenes must be ordered along with the unit.

Combustible facing

Our unique firebox design gives the capability for installing a combustible wood facing right down to the glass opening.

Trim Kits

For uneven and ledgestone finishing, we developed a slim finishing kit that fits directly to the fireplace frame to conceal the finished edge. These kits are adjustable and can cover finishing depths up to 2".





Invisimesh Screen

Full load DelRay units feature the Invisimesh screen, a micro-woven steel mesh with the same tensile strength as our standard screens, creating a safety barrier that's practically invisible.

TRADITIONAL LOGSETS
Hand painted to perfection

Each logset is designed to work with the universal burner system that ensures a realistic flame pattern that fills the firebox.

All logsets come standard with a black coal firebed and glowing ember media.




WATCH IT BURN
DELRAY SQUARE 38 VIDEO



Scan the QR code to see the DelRay Square 38 burning with 9 media sets and 7 liners.

DELRAY SQUARE
38 MEDIA SHOWN
BELOW

WATCH IT BURN
DELRAY SQUARE 42 VIDEO



Scan the QR code to see the DelRay Square 42 burning with 9 media sets and 7 liners.

DELRAY SQUARE
42 MEDIA SHOWN
BELOW



GREY COALS
HW1265

ICE FIREGLASS
HW1157

SPECKLED STONES
RR150SS



SPLIT OAK
LGSS04

BIRCH
LGSB14

DRIFTWOOD
LGSDW4

DELRAY / SQUARE / DRSQ42NI-2 / ICE FIREGLASS

WINTER
CSW46



BEACH
CSB46



TWILIGHT
CST46



WATCH IT BURN
DELRAY SQUARE 46 VIDEO



Scan the QR code to see the DelRay Square 46 burning with 9 media sets and 7 liners.

DELRAY SQUARE 46 MEDIA SHOWN ABOVE



DELRAY / SQUARE / DRSQ42NI-2 / TWILIGHT

CONTEMPORARY SCENES

Modern design at its best

Our contemporary scenes have been designed to create the best possible environment for tall, robust flames and pair beautifully with any room.

All contemporary scenes come standard with glass media, rocks, ceramic chips, and glowing ember media.



MONTIGO

Features

Easily convert from contemporary to traditional looks while using the same burner

Meets requirements for efficiency rebates

Field propane convertible

Convertible to 4/7

Convertible to co-linear

Mobile home compatible



DELRAY

SQUARE

CONTEMPORARY & TRADITIONAL

DELRAY / FROM MINIMALIST TO INDULGENCE

DELRAY FULL LOAD SQUARE

DELRAY BASIC SQUARE

Standard

- Concealed universal burner
- Multi-function remote control
- Remote Hi-Lo flame control
- Remote controlled fans
- Invisimesh screen
- Battery backup
- Halogen downlighting

Options

- Heat management
- Adjustable trim kit
- Traditional logsets
- Contemporary scenes
- Traditional and contemporary liners
- Propane conversion kit
- Speckled stones, glass media

Standard

- Concealed universal burner
- Manual Hi-Lo flame control

Options

- Heat management
- Adjustable trim kit
- Remote control
- Fans
- Invisimesh screen
- Traditional and contemporary liners
- Propane conversion kit
- Battery backup
- Traditional logsets
- Contemporary scenes
- Speckled stones, glass media



DRSQ38 DRSQ38-2

SINGLE SIDED
DIRECT VENT

QUICK DIMENSIONS

	DRSQ38	
	UNIT	FRAM.
F.WIDTH	38	40
B.WIDTH	20 ³ / ₈	40
HEIGHT	38	44 ⁷ / ₁₆
DEPTH	16 ¹ / ₂	18
VIEWING	33 ¹¹ / ₁₆ x 22 ⁷ / ₈	

BTU LISTING

DRSQ38NI / 20,500
DRSQ38LI / 16,500

DRSQ38NI-2 / 24,000
DRSQ38LI-2 / 19,500


EFFICIENCY

DRSQ38NI / 63% P.4. 1-15
DRSQ38LI / 61% P.4. 1-15

DRSQ38NI-2 / 64% P.4. 1-15
DRSQ38LI-2 / 61% P.4. 1-15



DELRAY SQUARE DIMENSIONS



	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
DRSQ38	20 ³ / ₄	39 ¹ / ₁₆	33 ³ / ₄	38	33 ¹ / ₁₆	22 ⁷ / ₈	38	1/2	8 ³ / ₄	22 ¹ / ₁₆	7 ¹ / ₄	16 ¹ / ₂	40 ⁵ / ₁₆	30 ¹ / ₂	2 ¹ / ₈



DELRAY / SQUARE / DRSQ38NI-2 / TWILIGHT SCENE



DELRAY / SQUARE / DRSQ38NI-2 / WINTER SCENE

OPTIONS & FEATURES



REMOTE^A
RX200**



WALL REMOTE[†]
REC1493



DOWNLIGHTING^A



TRADITIONAL
LOGETS
LGS**38



CONTEMPORARY
SCENES
CS*38



TRIM KIT
DRSQT***

LINERS



GREY
HERRINGBONE
DRSQBK38GH




GREY
LEDGESTONE
DRSQBK38GL



ASH FLUTED
DRSQBK38AF




BLACK GLASS
RBGDRSQ38



VINTAGE BRICK
DRSQBK38VB



TAN BRICK
DRSQBK38TB



RED BRICK
DRSQBK38RB

^A Standard on DRSQ38NI-2
[†] Optional on DRSQ38NI-2 only



DELRAY

SQUARE

MAKE A STATEMENT

DELRAY FULL LOAD SQUARE

DELRAY BASIC SQUARE

DRSQ42NI
DRSQ42NI-2
DRSQ46NI
DRSQ46NI-2

SINGLE SIDED
DIRECT VENT

Standard

- Concealed universal burner
- Multi-function remote control
- Remote Hi-Lo flame control
- Remote controlled fans
- Invisimesh screen
- Battery backup
- Halogen downlighting

Options

- Heat management
- Adjustable trim kit
- Traditional logsets
- Contemporary scenes
- Traditional and contemporary liners
- Propane conversion kit
- Speckled stones, glass media

Standard

- Concealed universal burner
- Manual Hi-Lo flame control

Options

- Heat management
- Adjustable trim kit
- Remote control
- Fans
- Invisimesh screen
- Traditional and contemporary liners
- Propane conversion kit
- Battery backup
- Traditional logsets
- Contemporary scenes
- Speckled stones, glass media

QUICK DIMENSIONS

	DRSQ42		DRSQ46	
	UNIT	FRAM.	UNIT	FRAM.
F.WIDTH	42	45	46	49
B.WIDTH	20 ³ / ₈	45	22 ³ / ₄	49
HEIGHT	43 ³ / ₁₆	51	47 ³ / ₁₆	55
DEPTH	19 ¹ / ₂	22	21	22
VIEWING	37 ¹ / ₁₆ x 26 ⁷ / ₈		41 ¹ / ₁₆ x 30 ⁷ / ₈	

BTU LISTING

DRSQ42NI / 32,500	DRSQ42NI-2 / 32,500
DRSQ42LI / 27,000	DRSQ42LI-2 / 27,000
DRSQ46NI / 40,000	DRSQ46NI-2 / 40,000
DRSQ46LI / 34,000	DRSQ46LI-2 / 34,000

EFFICIENCY

DRSQ42NI / 63.1% P.4. 1-15	DRSQ42NI-2 / 63.1% P.4. 1-15
DRSQ42LI / 63% P.4. 1-15	DRSQ42LI-2 / 63% P.4. 1-15
DRSQ46NI / 64.1% P.4. 1-15	DRSQ46NI-2 / 64.1% P.4. 1-15
DRSQ46LI / 64.7% P.4. 1-15	DRSQ46LI-2 / 64.7% P.4. 1-15



Features

Easily convert from contemporary to traditional looks while using the same burner


Meets requirements for efficiency rebates

Field propane convertible


Mobile home compatible

DELRAY / SQUARE / DRSQ46NI-2 / SPLIT OAK

DELRAY SQUARE DIMENSIONS



	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
DRSQ42	20 ⁵ / ₈	43 ¹ / ₁₆	37 ³ / ₄	42	37 ¹ / ₁₆	26 ⁷ / ₈	43 ³ / ₁₆	1/2	9	26 ¹ / ₁₆	7 ¹ / ₄	19 ¹ / ₂	45	34 ⁹ / ₁₆	2 ¹ / ₈
DRSQ46	22 ³ / ₄	47 ¹ / ₁₆	41 ³ / ₄	46	41 ¹ / ₁₆	30 ⁷ / ₈	47 ³ / ₁₆	1/2	8 ¹ / ₁₆	30 ¹ / ₁₆	7 ¹ / ₄	21	49 ¹ / ₁₆	38 ¹ / ₂	2 ¹ / ₈



DELRAY / SQUARE / DRSQ46NI-2 / BIRCH



REMOTE^Δ
RX200**



WALL REMOTE[†]
REC1493



DOWNLIGHTING^Δ



TRADITIONAL
LOGETS
LGS**



CONTEMPORARY
SCENES
CS*



TRIM KIT
DRSQT***




GREY
HERRINGBONE
DRSQBK**GH



GREY
LEDGESTONE
DRSQBK**GL




ASH FLUTED
DRSQBK**AF




BLACK GLASS
RBGDRSQ**



VINTAGE BRICK
DRSQBK**VB



TAN BRICK
DRSQBK**TB



RED BRICK
DRSQBK**RB

^Δ Standard on DRSQ**NI-2
[†] Optional on DRSQ**NI-2 only

OPTIONS &
FEATURES

LINERS

Cool Wall Advantage

Diverting heat away from the wall, keeping your TV or artwork safe



TV kits include

Louver

Plenum

Collars

Requires flex venting

TV KIT CODES

36" WALL KIT / HDKPD36


48" WALL KIT / HDKPD48

MONTIGO / COOL WALL ADVANTAGE / SIDEWALL / HORIZONTAL



Cool Wall Advantage TV and sidewall kit plenums are finished with aluminum and are ready to match any interior with your choice of high temperature paint.

MONTIGO / COOL WALL ADVANTAGE / SIDEWALL / VERTICAL



Sidewall kits include

2 Louvers

2 Plenums

Collars


Requires flex venting

SIDEWALL KIT CODES


HORIZONTAL WALL KIT / HDKSD

VERTICAL WALL KIT / HDKSDV

COOL WALL KIT DIMENSIONS



SIDEWALL DIMENSIONS



	A	B	C	D
36" TV Kit	39 ¹⁵ / ₁₆	38 ⁷ / ₈	N/A	7 ¹ / ₁₆
48" TV Kit	51 ⁷ / ₈	50 ⁷ / ₈	30 ¹ / ₂	7 ¹ / ₁₆



170°F / 76°C Heat Vent

Heat is diverted through the Cool Wall Advantage kit, safely bypassing the space above the fireplace.

100°F / 37°C Cool Wall†

Wall temperature is cool, creating an area safer for mounting a TV, or hanging artwork. Wood can even be used as a facing material when using the Cool Wall kit or by simply opening up the venting ports.‡

510°F / 265°C Glass

Reduced glass temperature, combined with the provided screen creates a safe viewing area.

† 100°F wall temperature is taken at 12" above glass opening.

‡ See manual for restrictions on facing materials





VINTAGE BROWN BRICK
DRSQBK**VB


TAN BRICK
DRSQBK**TB

RED BRICK
DRSQBK**RB

LINERS




GREY LEDGESTONE
DRSQBK**GL



ASH FLUTED
DRSQBK**AF



GREY HERRINGBONE
DRSQBK**GH



BLACK REFLECTIVE GLASS
RBGDRSQ**



SPECKLED STONES
RR***SS

COPPER
HW1143

AMBER
HW1261

ICE
HW1157

GLACIER
HW1219B

PLATINUM
HW1144

ALABASTER
HW1260

OBSIDIAN
HW1113

ONYX
HW1259

MEDIA

FROST
HW1112

QUARTZ
HW1106

EBONY
HW1091

COALS
HW1265, HW1266





DELRAY / SQUARE / DRSQ46NI-2 / WINTER SCENE / REFLECTIVE BLACK GLASS

DELRAY / SQUARE / DRSQ38NI-2 / SPLIT OAK LOGSET / TAN BRICK



MONTIGO

Unit Specifications

Icon Legend

AVAILABLE +

NOT AVAILABLE -

DEDICATED ◊

STANDARD ○

	BTU Natural Gas	BTU Liquid Propane	Venting	Clearance Top - Top Vent	Clearance Rear - Top Vent	Clearance Sides	Clearance Back	Clearance Floor	Clearance Mantel	Front Viewing Area	Front Glass Type	Standard Media	Invisimesh Screen	Powervent	Remote Control	Fans	Up lighting	Downlighting
DRSQ38*I-2	24,000	19,500	5"/8" ^a	21	17	0	1½	0	6	33 ¹ / ₁₆ X 22 ⁷ / ₈	Borosilicate	n/a	○	+	○	○	-	○
DRSQ38*I	20,500	16,500	5"/8" ^Δ	21	17	0	1½	0	6	33 ¹ / ₁₆ X 22 ⁷ / ₈	Borosilicate	n/a	+	+	+	+	-	-
DRSQ42*I-2	32,500	27,000	5"/8"	28	28	½	1½	0	10	37 ¹ / ₁₆ X 26 ⁷ / ₈	Borosilicate	n/a	○	+	○	○	-	○
DRSQ42*I	32,500	27,000	5"/8"	28	28	½	1½	0	10	37 ¹ / ₁₆ X 26 ⁷ / ₈	Borosilicate	n/a	+	+	+	+	-	-
DRSQ46*I-2	40,000	34,000	5"/8"	35	35	½	1	0	10	41 ¹ / ₁₆ X 30 ⁷ / ₈	Borosilicate	n/a	○	+	○	○	-	○
DRSQ46*I	40,000	34,000	5"/8"	35	35	½	1	0	10	41 ¹ / ₁₆ X 30 ⁷ / ₈	Borosilicate	n/a	+	+	+	+	-	-


ΔCan be reduced to 4"7"

DELRAY SQUARE FRAMING (MINIMUM DIMENSIONS)


	A*	B	C	D	E	F	G
DRSQ38	62 ¹ / ₈	44 ⁷ / ₁₆	18	40 ³ / ₁₆	59 ¹ / ₄	41 ⁷ / ₈	2
DRSQ42	72	51	21	45	62 ⁷ / ₁₆	44 ¹ / ₈	1
DRSQ46	84	55	22	49	67 ³ / ₈	47 ⁷ / ₈	1

* Some venting configurations that require more vertical rise will require a larger enclosure to provide minimum vertical clearance between vent pipes and combustibles

Header must be on edge to meet clearance to venting



DELRAY SQUARE WOOD FACING



IMPORTANT

Leaving the venting ports open requires a minimum chase height of 6' (7' for DRSQ46) and a chase opening (see below for sizes)

- DRSQ38
Minimum 100² inch opening
- DRSQ42
Minimum 120² inch opening
- DRSQ46
Minimum 140² inch opening

1976: The Days Before Gas Fireplaces

In 1976, Montigo president and founder, Dan Binzer, started installing zero-clearance wood burning fireplaces for local builders in Vancouver, BC. Over the years, demand grew for a gas alternative, and Dan engineered and manufactured the first ever sandpan logset. The logset was installed in a zero-clearance wood burning fireplaces shell, resulting in one of the first zero-clearance gas fireplaces on the market.

1985: Gas Fireplace Manufacturing Begins

Demand for gas grew rapidly, especially among multi-unit developments so Dan Binzer started a company called Canadian Heating that would offer full service design, engineering and manufacturing for gas fireplaces. Under the Montigo brand, Canadian Heating began manufacturing and selling a wide selection of zero-clearance gas fireplaces throughout Canada and in 1985 development began for the latest and greatest in gas fireplace technology – direct venting.

1994: Manufacturing Excellence is Achieved

Development and advancement of the gas fireplace continued over the years with continual developments to improve the efficiency of the fireplaces and perfected manufacturing processes to deliver an optimum fireplace each and every time – even for completely custom units.

Present: Leading the Way with Modern Fireplace Design

As one of the first to bring a linear designed fireplace to market, Montigo now offers the largest selection of linear fireplaces demanded by designers, architects and homeowners wanting to create a modern and contemporary space and homeowners wanting to create a modern and contemporary space.

WARNING

Some materials used in the manufacturing process of this product can expose you to Benzene which is known in the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65warnings.ca.gov

for more inspiration go to
www.montigo.com

MONTIGO[®]
the art of **fireplaces**



Our Guarantee

Montigo[®] stands behind the craftsmanship and durability of our products by providing a 15 year warranty on the burner and firebox in all our residential fireplaces.



Printed in Canada

XB2218