

MONTIGO®

# PHENOM

PHENOM / PROUDLY HANDCRAFTED IN NORTH AMERICA

P38DF

PL38DF

P42DF

PL42DF

P52DF

PL52DF

L38FSD

L42FSD

L52FSD



PHENOM / LEGACY P + L SERIES



# IT STARTS WITH PHENOM A SPARK

**P38, P42, P52  
PL38, PL42,  
PL52**

Single sided  
Direct vent

**QUICK DIMENSIONS**

	P38		P42		P52	
	UNIT	FRAM.	UNIT	FRAM.	UNIT	FRAM.
F.WIDTH	37 <sup>11</sup> / <sub>16</sub>	37 <sup>3</sup> / <sub>4</sub>	42	42	52	52
B.WIDTH	37 <sup>1</sup> / <sub>4</sub>	37 <sup>3</sup> / <sub>4</sub>	41 <sup>1</sup> / <sub>2</sub>	42	47 <sup>3</sup> / <sub>8</sub>	52
HEIGHT	33 <sup>3</sup> / <sub>4</sub>	41 <sup>1</sup> / <sub>4</sub>	34 <sup>3</sup> / <sub>8</sub>	42	36 <sup>3</sup> / <sub>16</sub>	43 <sup>3</sup> / <sub>4</sub>
DEPTH	19 <sup>1</sup> / <sub>2</sub>	20 <sup>1</sup> / <sub>8</sub>	20 <sup>5</sup> / <sub>8</sub>	21 <sup>1</sup> / <sub>8</sub>	22 <sup>1</sup> / <sub>4</sub>	24 <sup>1</sup> / <sub>4</sub>
VIEWING	35 <sup>3</sup> / <sub>16</sub> × 19 <sup>1</sup> / <sub>2</sub>		39 <sup>1</sup> / <sub>2</sub> × 20 <sup>3</sup> / <sub>8</sub>		47 × 21 <sup>1</sup> / <sub>8</sub>	

**BTU LISTING**  
 P\*38DF\*I-2 / 25,000  
 P\*42DF\*I-2 / 32,000  
 P\*52DF\*I-2 / 40,000

**EFFICIENCY**  
 P38DFNI-2 / FE 58  
 P42DFNI-2 / FE 57  
 P52DFNI-2 / FE 59.3

**PHENOM FULL LOAD  
CONTEMPORARY**

**Standard**

- Concealed burner with Quartz firebeads

---

- Multi-function remote control

---

- Remote controlled fans

---

- Black porcelain liner

---

- Halogen uplighting

---

- Remote Hi-Lo flame control

---

- Battery backup

**Options**

- Surrounds in satin black or stainless steel

---

- Speckled stones, driftwood, glass media

**PHENOM BASIC  
CONTEMPORARY**

**Standard**

- Concealed burner with Ice fireglass

---

- Comes with Proflame 2 BASIC control system

**Options**

- Surrounds in satin black or stainless steel

---

- Speckled stones, driftwood, glass media

---

- Multi-function remote control

---

- Remote controlled fans

---

- Black porcelain liner

---

- Battery backup




PL38DFLI / FE 58  
 PL42DFLI / FE 57  
 PL52DFLI / FE 59.3

## PHENOM DIMENSIONS

MONTIGO / STAINLESS STEEL SURROUND

MONTIGO / SATIN BLACK SURROUND



	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
P38	35 <sup>3</sup> / <sub>16</sub>	37 <sup>1</sup> / <sub>16</sub>	19 <sup>1</sup> / <sub>2</sub>	4 <sup>5</sup> / <sub>8</sub>	5 <sup>7</sup> / <sub>16</sub>	29 <sup>9</sup> / <sub>16</sub>	3	13 <sup>3</sup> / <sub>16</sub>	26 <sup>5</sup> / <sub>16</sub>	33 <sup>3</sup> / <sub>4</sub>	20 <sup>3</sup> / <sub>16</sub>	39 <sup>1</sup> / <sub>4</sub>	71 <sup>1</sup> / <sub>16</sub>	37 <sup>1</sup> / <sub>4</sub>	22 <sup>1</sup> / <sub>8</sub>	19 <sup>1</sup> / <sub>2</sub>	36 <sup>5</sup> / <sub>8</sub>	11	2
P42	39 <sup>1</sup> / <sub>2</sub>	42	20 <sup>3</sup> / <sub>8</sub>	4 <sup>1</sup> / <sub>16</sub>	5 <sup>1</sup> / <sub>2</sub>	30 <sup>9</sup> / <sub>16</sub>	3	14 <sup>5</sup> / <sub>16</sub>	27 <sup>3</sup> / <sub>8</sub>	34 <sup>3</sup> / <sub>8</sub>	21 <sup>5</sup> / <sub>16</sub>	43 <sup>3</sup> / <sub>16</sub>	8	41 <sup>1</sup> / <sub>2</sub>	23 <sup>1</sup> / <sub>8</sub>	20 <sup>5</sup> / <sub>8</sub>	37 <sup>1</sup> / <sub>16</sub>	12 <sup>1</sup> / <sub>16</sub>	2
P52	47	52	21 <sup>7</sup> / <sub>8</sub>	5 <sup>1</sup> / <sub>16</sub>	5 <sup>3</sup> / <sub>8</sub>	33 <sup>3</sup> / <sub>16</sub>	3	14 <sup>5</sup> / <sub>8</sub>	28 <sup>3</sup> / <sub>4</sub>	36 <sup>3</sup> / <sub>16</sub>	22 <sup>1</sup> / <sub>16</sub>	53 <sup>5</sup> / <sub>8</sub>	7 <sup>5</sup> / <sub>16</sub>	47 <sup>3</sup> / <sub>8</sub>	23 <sup>1</sup> / <sub>8</sub>	22	39	12 <sup>1</sup> / <sub>16</sub>	2

MONTIGO / PHENOM / PL42 / SPECKLED STONES AND DRIFTWOOD

MONTIGO / PHENOM / PL42 / SAGE FIREBEADS



REMOTE<sup>†</sup>  
RX200\*\*



WALL REMOTE  
REC1493



BLACK PORCELAIN<sup>†</sup>  
PPL\*\*



UPLIGHTING<sup>†</sup>

OPTIONS &  
FEATURES

<sup>†</sup>Standard for full load units



# PHENOM

MULTI SIDED

## A new dimension

### PHENOM SEE THROUGH CONTEMPORARY

**L38FSD,  
L42FSD,  
L52FSD**

See through  
Direct vent

#### Standard

Contemporary burner with Ice fireglass

Comes with Proflame 2 BASIC control system

Manual Hi-Lo flame control

#### Options

Glass media

Surrounds in satin black or stainless steel

Multi-function remote control

Battery backup

Remote controlled fans



#### QUICK DIMENSIONS

	L38FSD		L42FSD		L52FSD	
	UNIT	FRAM.	UNIT	FRAM.	UNIT	FRAM.
F.WIDTH	39 <sup>5</sup> / <sub>16</sub>	41	43 <sup>3</sup> / <sub>16</sub>	45	58 <sup>1</sup> / <sub>4</sub>	60
B.WIDTH	39 <sup>5</sup> / <sub>16</sub>	41	43 <sup>3</sup> / <sub>16</sub>	45	58 <sup>1</sup> / <sub>4</sub>	60
HEIGHT	33 <sup>3</sup> / <sub>16</sub>	40	33 <sup>7</sup> / <sub>8</sub>	40	34 <sup>13</sup> / <sub>16</sub>	39
DEPTH	25 <sup>1</sup> / <sub>8</sub>	23 <sup>3</sup> / <sub>4</sub>	25 <sup>1</sup> / <sub>4</sub>	23 <sup>3</sup> / <sub>4</sub>	25 <sup>3</sup> / <sub>16</sub>	23 <sup>3</sup> / <sub>4</sub>
VIEWING	35 <sup>1</sup> / <sub>4</sub> × 19 <sup>3</sup> / <sub>8</sub>		39 <sup>1</sup> / <sub>2</sub> × 20 <sup>3</sup> / <sub>16</sub>		47 × 21 <sup>13</sup> / <sub>16</sub>	

#### BTU LISTING

L38FSD\*\* / 27,000  
L42FSD\*\* / 34,000  
L52FSD\*\* / 40,000

#### EFFICIENCY

L38FSDN / FE 58.6  
L42FSDN / FE 58  
L52FSDN / P4 56.71

L38FSDNI / FE 58  
L42FSDNI / FE 57  
L52FSDNI / P4 56.99



L38FSDLI / FE 58.6  
L42FSDLI / FE 58  
L52FSDLI / FE 60

L38FSDLI / FE 59.6  
L42FSDLI / FE 60  
L52FSDLI / FE 61.2

## PHENOM FSD DIMENSIONS

MONTIGO / STAINLESS STEEL SURROUND

MONTIGO / SATIN BLACK SURROUND



	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
L38FSD	37 <sup>3</sup> / <sub>4</sub>	41 <sup>1</sup> / <sub>8</sub>	36	25 <sup>1</sup> / <sub>4</sub>	23 <sup>3</sup> / <sub>8</sub>	19 <sup>3</sup> / <sub>8</sub>	5 <sup>1</sup> / <sub>4</sub>	9	35 <sup>1</sup> / <sub>4</sub>	26 <sup>5</sup> / <sub>8</sub>	39 <sup>5</sup> / <sub>16</sub>	33 <sup>3</sup> / <sub>16</sub>	18 <sup>5</sup> / <sub>8</sub>	7 <sup>3</sup> / <sub>8</sub>	3	6 <sup>1</sup> / <sub>4</sub>
L42FSD	42	45 <sup>1</sup> / <sub>16</sub>	37	25 <sup>1</sup> / <sub>4</sub>	23 <sup>3</sup> / <sub>8</sub>	20 <sup>5</sup> / <sub>16</sub>	5 <sup>1</sup> / <sub>2</sub>	8 <sup>3</sup> / <sub>16</sub>	39 <sup>1</sup> / <sub>2</sub>	27 <sup>7</sup> / <sub>16</sub>	43 <sup>9</sup> / <sub>16</sub>	33 <sup>3</sup> / <sub>8</sub>	16 <sup>1</sup> / <sub>16</sub>	7 <sup>3</sup> / <sub>8</sub>	3	6 <sup>1</sup> / <sub>4</sub>
L52FSD	52	n/a	38 <sup>1</sup> / <sub>8</sub>	25 <sup>1</sup> / <sub>4</sub>	23 <sup>3</sup> / <sub>8</sub>	21 <sup>13</sup> / <sub>16</sub>	5 <sup>1</sup> / <sub>2</sub>	7 <sup>7</sup> / <sub>16</sub>	47	n/a	58 <sup>1</sup> / <sub>4</sub>	34 <sup>13</sup> / <sub>16</sub>	10 <sup>15</sup> / <sub>16</sub>	7 <sup>3</sup> / <sub>8</sub>	3	29 <sup>1</sup> / <sub>8</sub>

MONTIGO / PHENOM / L38FSD

MONTIGO / PHENOM / L38FSD / SAGE FIREBEADS



REMOTE<sup>†</sup>  
RX100\*\*



WALL REMOTE  
REC1493

OPTIONS &  
FEATURES

<sup>†</sup>Available on IPI ignition units only (other remotes available for standing pilot)



SPECKLED STONES  
RR\*\*\*SS

COPPER  
HW1143

AMBER  
HW1261

ICE  
HW1157

GLACIER  
HW1219B

PLATINUM  
HW1144

ALABASTER  
HW1260

OBSIDIAN  
HW1113

ONYX  
HW1259

# MEDIA

FROST  
HW1112

QUARTZ  
HW1106

EBONY  
HW1091

DRIFTWOOD  
LGS\*\*\*

# Unit Specifications

## Icon Legend

AVAILABLE +

NOT AVAILABLE -


DEDICATED ◊

STANDARD ○

	BTU Natural Gas	BTU Liquid Propane	Venting	Clearance Top - Rear vent	Clearance Top - Top vent	Clearance Sides	Clearance Back	Clearance Floor	Front viewing area	Front glass type	Standard media	Invisimesh screen	Powervent	Remote control	Fans	Uplighting	Downlighting
PL38DF*I	25,000	25,000	5"/8"	9	17½	0	0	0	35¾ × 19½	Borosilicate	HW1157	○	+	+	+	-	-
PL42DF*I	32,000	32,000	5"/8"	9	17½	0	0	0	39½ × 20¾	Borosilicate	HW1157	○	+	+	+	-	-
PL52DF*I	40,000	40,000	5"/10"	12	26	2½	1	0	47 × 21⅞	Tempered	HW1157	○	+	+	+	-	-
P38DF*I	25,000	25,000	5"/8"	9	17½	0	0	0	35¾ × 19½	Borosilicate	HW1106	○	+	○	○	○	-
P42DF*I	32,000	32,000	5"/8"	9	17½	6	0	0	39½ × 20¾	Borosilicate	HW1106	○	+	○	○	○	-
P52DF*I	40,000	40,000	5"/10"	12	26	2½	1	0	47 × 21⅞	Tempered	HW1106	○	+	○	○	○	-
L38FSD*I	27,000	27,000	5"/8"	24	24	6	2	0	35¼ × 19¾	Tempered	HW1157	○	+	+	+	-	-
L42FSD*I	34,000	34,000	5"/8"	24	24	6	2	0	39½ × 20¾	Tempered	HW1157	○	+	+	+	-	-
L52FSD*I	40,000	40,000	5"/8"	24	24	6	2	0	47 × 21¾	Tempered	HW1157	○	+	+	-	-	-


## PHENOM SINGLE SIDED FRAMING

	A	B†	C	D	E	F	G
P38	37¾	34¼	41¼	20⅞	76¼	37¾	53⅞
P42	42	35	42	21⅞	84½	42	59¾
P52	52	37½	43¾	24½	98	52	64¼



## PHENOM SEE THROUGH FRAMING

	A	B†	C	D
P38	41	34½	23¾	40
P42	45	35	23¾	40
P52	59	N/A	23¾	39



† "B" dimension is from grade to non-combustible stud  
Header on edge not required if framing meets clearance to venting

## 1976: The Days Before Gas Fireplaces

In 1976, Montigo president and founder, Dan Binzer, started installing zero-clearance wood burning fireplaces for local builders in Vancouver, BC. Over the years, demand grew for a gas alternative, and Dan engineered and manufactured the first ever sandpan logset. The logset was installed in a zero-clearance wood burning fireplaces shell, resulting in one of the first zero-clearance gas fireplaces on the market.

## 1985: Gas Fireplace Manufacturing Begins

Demand for gas grew rapidly, especially among multi-unit developments so Dan Binzer started a company called Canadian Heating that would offer full service design, engineering and manufacturing for gas fireplaces. Under the Montigo brand, Canadian Heating began manufacturing and selling a wide selection of zero-clearance gas fireplaces throughout Canada and in 1985 development began for the latest and greatest in gas fireplace technology – direct venting.

## 1994: Manufacturing Excellence is Achieved

Development and advancement of the gas fireplace continued over the years with continual developments to improve the efficiency of the fireplaces and perfected manufacturing processes to deliver an optimum fireplace each and every time – even for completely custom units.

## Present: Leading the Way with Modern Fireplace Design

As one of the first to bring a linear designed fireplace to market, Montigo now offers the largest selection of linear fireplaces demanded by designers, architects and homeowners wanting to create a modern and contemporary space and homeowners wanting to create a modern and contemporary space.

### **WARNING**

Some materials used in the manufacturing process of this product can expose you to Benzene which is known in the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65warnings.ca.gov](http://www.P65warnings.ca.gov)

for more inspiration go to  
[www.montigo.com](http://www.montigo.com)

**MONTIGO**<sup>®</sup>  
the art of **fireplaces**



## Our Guarantee

Montigo<sup>®</sup> stands behind the craftsmanship and durability of our products by providing a 15 year warranty on the burner and firebox in all our residential fireplaces. All made using steel milled in the United States.



Printed in Canada

XB2217