

Hearth Products Controls Co CSA CERTIFIED FIRE PIT INSERT OUTDOOR USE ONLY FOR COMMERCIAL AND RESIDENTIAL USE

47.00
39.25


00.52

VENTILATION


PLAN VIEW

HEARTH PRODUCTS CONTROLS 3050 PLAINFIELD RD. KETTERING, OH 45432 TOLL FREE: 1-877-433-7001


PHONE: (937) 433-7000 FAX: (937) 433-0704 www.hpcfire.com




ISOMETRIC VIEW



ELECTRONIC IGNITION OPTION





MATERIAL:

FIRE BOWL INSERT - 304 STAINLESS STEEL

ENCLOSURE - COPPER

PART NUMBER	BURNER TYPE	IGNITION	STND BTU	VOLTAGE
PHOEN47X25/HBURN-EI	H BURNER	ELECTRONIC	125K	120VAC/24VAC
PHOEN47X25/HBURN-FPPK	H BURNER	SPARK	90K	-
PHOENX47X25/HBURN-MLFPK	H BURNER	MATCH LIT	65K	-
PHOENX47X25/SFIRE-EI	S FIRE	ELECTRONIC	75K	120VAC/24VAC
PHOENX47X25/SFIRE-FPPK	S FIRE	SPARK	75K	-
PHOENX47X25/SFIRE-MLFPK	S FIRE	MATCH LIT	65K	-

Notes:

- 1. PROPER VENTING
 - ENCLOSURES: Ventilation is featured on 2 opposing sides.
- GAS SUPPLY FOR USE WITH FIXED PIPING SYSTEMS ONLY NOT FOR USE WITH SMALL TANKS.
 - Natural Gas: Operating Supply Pressure: Minimum: 6.0" W.C.; Maximum: 7.0" W.C.
 - LP Gas: Operating Supply Pressure: Minimum: 10.0" W.C.; Maximum: 11.0" W.C.

IMPORTANT: Ensure any flex line that may be used from the permanent main fuel supply to the product is rated to the stated max btu of the product and certified to ANSI Z21.75*CSA 6.27.

- 3. MODIFCATION OF PRODUCT WILL VOID ANY CERTIFICATION AND WARRANTY.
- 4. FOLLOW ALL MANUFACTURER INSTALLATION INSTRUCTIONS AND LOCAL CODES.
- 5. ALL DIMENSIONS ARE CONSIDERED TRUE AND REFLECT MANUFACTURER'S SPECIFICATIONS AS OF THE REVISION DATE.
- 6. DO NOT SCALE DRAWING.
- 7. THESE DRAWINGS ARE FOR SIZING AND PLANNING PURPOSES. ALL INFORMATION CONTAINED HEREIN WAS CURRENT AT THE TIME OF DEVELOPMENT. THE MANUFACTURER'S RESPONSIBLE FOR THE ACCURACY OF THE DRAWING.
- 8. CONTRACTOR'S NOTE: FOR PRODUCT AND COMPANY INFORMATION VISIT www.CADdetails.com/info REFERENCE NUMBER 771-059.



PHOENIX WITH H-PAN EI FIRE PIT- FLAME SENSING WITH ELECTRONIC HOT SURFACE IGNITION PHOENIX WITH H-PAN PUSH BUTTON/FLAME SENSING FIRE PIT INSERT

PHOENIX WITH H-PAN MATCH LIT FIRE PIT INSERT

REVISION DATE 11/13/2017