



FIRE IN MOTION





The Tempest Torch™ and Tempest Lantern™ are dramatic decorative outdoor gas lamps that break the barriers of standard gas torch design. Their patented design features an enchanting spiral flame dancing within tempered glass walls. This natural venturi effect of fire in motion is created without the use of electricity or a fan. Created as an outdoor lighting furnishing for a wide array of exterior settings and applications, the Tempest Torch is designed to create the ultimate in lighting enhancement.





Both the Tempest Torch™ and Tempest Lantern™ feature a wide array of applications and display possibilities for outdoor living and entertainment spaces, including decks, patios, pools, gardens, walkways, entryways, restaurants, storefronts and more!



The signature spiraling flame of the Tempest Torch™ and Tempest Lantern™ reaches a height of 17 inches and provides up to 20,000 BTUs. The four-sided, 18-inch tall open-air tempered glass housing is designed to prevent the flame from going out during high winds or rainfall, but includes an automatic gas safety shutoff valve, should the flame ever go out.



PICK THE IGNITION SYSTEM THAT BEST MEETS YOUR NEEDS

ELECTRONIC 24V HOT SHOT™ IGNITION MODELS (US Patent Pending)

The all-weather 24V AC Hot Shot™ electronic ignition system can be used with a light switch, remote control, programmable timer or wired into a SmartHome system. Available in NG and LP.

(50K Lantern is only available with Electronic ignition)

PIEZO IGNITER MODEL (Tempest Torch only)

The manual light

panel with Piezo

lighting and high

Igniter for easy

to low flame

control.

model features an

easy access control


The manual light model works with a built-in Piezo Igniter and easy access control panel. Available in NG and LP.




FEATURES YOU'RE GOING TO LOVE

- The Tempest Torch[™] and Tempest Lantern[™] can be installed in four different ways:
 - Ground Post
 - Deck Post
 - Pillar Mount
 - Wall Mount
- Automatic gas shutoff for added safety if the flame ever goes out.
- Removable rain cap included (Torch version only)
- Tempered glass panels are easy to remove for cleaning and service.
- The Tempest Torch™ features a durable stainless steel frame and burner.
- The Tempest Lantern[™] features a durable, high temperature black powder coated frame & cap.
- Available in your choice of natural gas or propane.
- Install up to six torches on a single transformer and up to five transformers on a single 120 volt 15 amp circuit. This can give you up to 30 torches on a single circuit! Also works with any combination of Fire Garden™ Firepits or Fire Garden™ Outdoor Fireplaces.

20K Tempest Torch™



20K Tempest Lantern™





20K Models - Minimum Clearances To Combustibles

Floor: 2.5" combustible floor to bottom (base) of torch

Walls: 8" measured from glass surface

Ceiling: 26" measured from the torch top (glass frame) with or without the raincap. (Refer to the Owner's Manual for further details)

Gas Rating	NG	LP
BTUs/Hr High	20,000	20,000
BTUs/Hr Low	14,000	17,000

20K Models Electronic Ignition 24V

Install up to six torches on a single transformer and up to five transformers on one 120 volt 15 amp circuit. This can give you up to 30 torches on a single circuit!

Testing

Applicable portions of ANSI Z21.42a-2004 "Illuminating Appliances", CAN 1-2.15, CSA 4.96 U.S. (3rd Ed) "Outdoor Gas Fireplace", and AGA 8-96, "Requirement for Gas-Fired Decorative Illuminating Appliances for Outdoor Installation."

For Your Safety:


FOR OUTDOOR INSTALLATION ONLY!

Do not store or use gasoline or other flammable vapors and liquids in the vicinity of this or any other appliance.

WARNING:

Improper installation, adjustment, alteration, service or maintenance can cause injury or property damage. Refer to the owner's information manual provided with this appliance. For assistance or additional information consult a qualified installer, service agency or the gas supplier.

NEW 50K Tempest Lantern™





20K Version 50K Version

For those looks for a larger lantern, we offer a larger 50K version of the Tempest Lantern™. This lantern is appoximantly 20% larger then the 20K Tempest Lantern™.

The 50K Tempest Lantern™ is only availble with the all-weather Hot Shot™ electric ignition system.



50K Models - Minimum Clearances To Combustibles

Ground: The distance from ground level to the top of the lantern shall be a minumu of 7 ft. (2.1M) where installed within 2 feet (0.6M) of public walkways. Walls: 10" measured from glass surface Ceiling: 48" measured from the lantern top. (Refer to the Owner's Manual for further details)

LP NG **Gas Rating** BTUs/Hr 50,000 45,000

For Your Safety:

FOR OUTDOOR INSTALLATION ONLY!

Do not store or use gasoline or other flammable vapors and liquids in the vicinity of this or any other appliance.

WARNING:

Improper installation, adjustment, alteration, service or maintenance can cause injury or property damage. Refer to the Owner's Manual provided with this appliance. For assistance or additional information consult a qualified installer, service agency or the gas supplier.

50K Models Electronic Ignition 24V

Install up to six lanterns on a single transformer and up to five transformers on one 120 volt 15 amp circuit. This can give you up to 30 lanterns on a single circuit!

Testing

Applicable portions of ANSI Z21.97-2017/CSA 2.41-2017 "Outdoor Decorative Gas Appliance".



